

WIN WITH NIBCO®

IN PARTNERSHIP WITH

Winsupply®

EXCLUSIVE PROMOTION

NIBCO® PressACR® fittings and tools are a unique copper press connection system designed to meet the demands of air conditioning and refrigeration applications. Our patented groove design and crimp pattern supports the higher pressure requirements of an HVACR system. We guarantee the quality and workmanship with a 15-year warranty! For a limited time, **if you purchase \$1,000 in PressACR fittings, you will receive four NIBCO universal jaws. Additionally, if you purchase \$2,000 in PressACR fittings, you'll receive one NIBCO mini-tool kit with four jaws.**

Promotion Period: February 1st, 2026 – April 30, 2026

Promotion Details: During the promotional period, receive free PressACR tools and/or jaws with a minimum purchase order of \$1,000 and \$2,000 NIBCO PressACR fittings. Engineered specifically to install our PressACR products, NIBCO PressACR tools are lightweight, ergonomic, convert easily to electric power, and include LED lights to illuminate work areas. Limit of three promotional orders per local company.

Find Out More: Reach out to your local NIBCO sales representative for more information.

RECEIVE ONE MINI-TOOL KIT WITH FOUR JAWS

If you purchase \$2,000
PressACR Fittings



RECEIVE FOUR UNIVERSAL JAWS

If you purchase \$1,000
PressACR Fittings



NIBCO® PressACR® Tool & Jaws Compatibility Matrix

Tool & Jaws Compatibility Matrix			
Manufacturer	Model(s)	Size Range	Approved Jaws
NIBCO®	PCR-20M (19 kN)	1/4" to 1 1/8"	PCR-14M 1/4 Jaw, PCR-516M 5/16 Jaw, PCR-38M 3/8 Jaw, PCR-12M 1/2 Jaw, PCR-1M 5/8 Jaw, PCR-34M 3/4 Jaw, PCR-2M 7/8 Jaw and PCR-3M 11/8 Jaw PCR-14S 1/4 Jaw, PCR-516S 5/16 Jaw, PCR-38S 3/8 Jaw, PCR-12S 1/2 Jaw, PCR-1S 5/8 Jaw, PCR-34S 3/4 Jaw, PCR-2S 7/8 Jaw, PCR-3S 11/8 Jaw, and PCR-138S 13/8 Jaw PC-5 adapter and PCR-158S or PCR-218S are required to crimp 1 5/8" OD and 2 1/8" OD fittings. The adapter and chains are only compatible with the NIBCO tool
Klauke®	MAP2L19 (19 kN)	1/4" to 1 1/8"	
NIBCO®	PC-280 (32 kN)	1/4" to 2 1/8"	
RIDGID®	RP 350 (32 kN)	1/4" to 1 3/8"	
	RP 351 (32 kN)	1/4" to 1 3/8"	
	RP 342-XL Long Reach (32 kN)	1/4" to 1 3/8"	
Milwaukee®	RP 340-B	1/4" to 1 3/8"	
	M18™ Force Logic (32 kN)	1/4" to 1 3/8"	
DeWalt®	M18™ Long Throw Force Logic (32 kN)	1/4" to 1 3/8"	
	DCE200 (32 kN)	1/4" to 1 3/8"	
Rothenberger®	Romax 4000 (32 kN)	1/4" to 1 3/8"	

NOTE: Only NIBCO jaws can be used to crimp NIBCO PressACR fittings. Use of any other jaw will void the product warranty.



NIBCO®

WINSUPPLY WSS # LIST

NIBCO PressACR® FITTINGS



PC9600-2 Fitting Reducer (Ftg x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag Case	
PC9600-2	3/8 x 1/4	5257900775RPC	.02	418418	10	150
PC9600-2	1/2 x 3/8	5257900780RPC	.03	418425	10	150
PC9600-2	5/8 x 3/8	5257900802RPC	.04	418432	10	150
PC9600-2	5/8 x 1/2	5257900800RPC	.04	418449	10	150
PC9600-2	3/4 x 5/8	5257900804RPC	.09	413741	10	150
PC9600-2	7/8 x 1/2	5257900815RPC	.10	418456	10	150
PC9600-2	7/8 x 5/8	5257900810RPC	.09	413765	10	150
PC9600-2	7/8 x 3/4	5257900808RPC	.11	413758	10	150
PC9600-2	1 1/8 x 7/8	5257900830RPC	.15	413772	10	150
PC9600-2	1 3/8 x 7/8	5257900855RPC	.18	413796	5	50
PC9600-2	1 5/8 x 1 1/8	5257900850RPC	.18	413789	1	50



PC9600-R Reducing Coupling (P x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag Case	
PC9600-R	5/16 x 1/4	5257900030RPC	.01	418319	10	150
PC9600-R	3/8 x 1/4	5257900045RPC	.01	418326	10	150
PC9600-R	1/2 x 1/4	5257900106RPC	.04	418333	10	150
PC9600-R	1/2 x 3/8	5257900102RPC	.04	418340	10	150
PC9600-R	5/8 x 1/4	5257900116RPC	.01	418357	10	150
PC9600-R	5/8 x 3/8	5257900117RPC	.01	418364	10	150
PC9600-R	5/8 x 1/2	5257900115RPC	.01	418371	10	150
PC9600-R	3/4 x 1/2	5257900122RPC	.08	418388	10	150
PC9600-R	3/4 x 5/8	5257900121RPC	.10	413666	10	150
PC9600-R	7/8 x 5/8	5257900130RPC	.12	413673	10	150
PC9600-R	7/8 x 3/4	5257900127RPC	.13	413680	10	150
PC9600-R	1 1/8 x 5/8	5257900155RPC	.14	413697	10	100
PC9600-R	1 1/8 x 3/4	5257900152RPC	.17	413703	10	100
PC9600-R	1 1/8 x 7/8	5257900150RPC	.18	413710	5	100
PC9600-R	1 3/8 x 7/8	5257900180RPC	.25	413734	5	100
PC9600-R	1 5/8 x 1 1/8	5257900175RPC	.23	413727	1	50



PC9600-DS Coupling (P x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag Case	
PC9600-DS	1/4	5257900015RPC	.01	418289	10	250
PC9600-DS	5/16	5257900025RPC	.01	418296	10	250
PC9600-DS	3/8	5257900035RPC	.01	418302	10	250
PC9600-DS	1/2	5257900100RPC	.05	418272	10	250
PC9600-DS	5/8	5257900110RPC	.08	413611	10	250
PC9600-DS	3/4	5257900119RPC	.11	413628	10	250
PC9600-DS	7/8	5257900125RPC	.16	413635	10	150
PC9600-DS	1	5257900140RPC	.17	431578	10	150
PC9600-DS	1 1/8	5257900145RPC	.20	413642	5	150
PC9600-DS	1 3/8	5257900170RPC	.27	413659	1	30
PC9600-DS	1 5/8	52579002000RPC	.53	444271	1	25
PC9600-DS	2 1/8	52579009300RPC	.69	444554	1	25



PC9601 Repair Coupling (P x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag Case	
PC9601	1/4	5257902010RPC	.01	418463	10	250
PC9601	5/16	5257902015RPC	.01	427663	10	250
PC9601	3/8	5257902020RPC	.01	418470	10	250
PC9601	1/2	5257902025RPC	.05	418487	10	250
PC9601	5/8	5257902030RPC	.08	413802	10	250
PC9601	3/4	5257902035RPC	.11	413819	10	250
PC9601	7/8	5257902040RPC	.16	413826	10	150
PC9601	1	5257902045RPC	.19	413833	5	150
PC9601	1 1/8	5257902050RPC	.19	413833	5	150
PC9601	1 3/8	5257902055RPC	.27	413840	1	30
PC9601	1 5/8	52579020600RPC	.52	444288	1	30
PC9601	2 1/8	52579020650RPC	.69	444561	1	25

* All fittings must be ordered in incremental bag quantities.

NIBCO INC. WORLD HEADQUARTERS WEB: www.nibco.com	1516 MIDDLEBURY STREET ELKHART, IN 46516-4740 USA	DOMESTIC CUSTOMER SERVICE PHONE: 800.234.0227 FAX: 800.234.0557	TECHNICAL SERVICE PHONE: 888.446.4226 FAX: 888.336.4226	INTERNATIONAL OFFICE PHONE: +1/574.295.3327 FAX: +1/574.295.3455
--	--	--	--	---



PC9606-LT 45° Elbow (P x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag	Packaging Case
PC9606-LT	1/4	5257904250RPC	.01	418166	10	200
PC9606-LT	5/16	5257904255RPC	.01	418173	10	200
PC9606-LT	3/8	5257904260RPC	.01	418180	10	200
PC9606-LT	1/2	5257904270RPC	.06	418159	10	200
PC9606-LT	5/8	5257904280RPC	.09	413468	10	200
PC9606-LT	3/4	5257904286RPC	.15	413475	10	200
PC9606-LT	7/8	5257904296RPC	.18	413482	10	150
PC9606-LT	1	5257904290RPC	.23	431547	10	150
PC9606-LT	1 1/8	5257904300RPC	.25	413499	5	100
PC9606-LT	1 1/2	5257904310RPC	.40	413505	1	50
PC9606-LT	1 3/4	5257904320RPC	.72	444240	1	25
PC9606-LT	2 1/8	52579043305RPC	1.02	444523	1	20



PC9611 Tee (P x P x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag	Packaging Case
PC9611	1/4	5257909555RPC	.01	418203	10	200
PC9611	5/16	5257909575RPC	.01	418227	10	200
PC9611	3/8	5257909600RPC	.01	418210	10	200
PC9611	1/2	5257909650RPC	.11	418197	10	200
PC9611	5/8	5257909720RPC	.18	413512	10	100
PC9611	3/4	5257909780RPC	.34	413529	10	200
PC9611	7/8	5257909840RPC	.32	413536	10	100
PC9611	1	5257909845RPC	.44	431554	10	100
PC9611	1 1/8	5257909930RPC	.48	413543	5	50
PC9611	1 1/2	5257910005RPC	.76	413550	1	25
PC9611	1 3/4	5257910115RPC	1.18	444257	1	25
PC9611	2 1/8	52579102600RPC	2.42	444530	1	10



PC9607-LT 90° Elbow (P x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag	Packaging Case
PC9607-LT	1/4	5257907755RPC	.01	418081	10	150
PC9607-LT	5/16	5257907760RPC	.01	418098	10	150
PC9607-LT	3/8	5257907765RPC	.01	418104	10	150
PC9607-LT	1/2	5257907775RPC	.08	418074	10	150
PC9607-LT	5/8	5257907785RPC	.11	413369	10	150
PC9607-LT	3/4	5257907800RPC	.17	413376	10	150
PC9607-LT	7/8	5257907815RPC	.22	413383	10	150
PC9607-LT	1	5257907825RPC	.29	431523	10	150
PC9607-LT	1 1/8	5257907840RPC	.33	413390	5	100
PC9607-LT	1 1/2	5257907860RPC	.53	413406	1	25
PC9607-LT	1 3/4	52579056150RPC	.90	444226	1	25
PC9607-LT	2 1/8	52579056405RPC	1.48	444509	1	15



PC9617 Tube Cap (P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag	Packaging Case
PC9617	1/4	5257917250RPC	.01	418241	10	500
PC9617	5/16	5257917252RPC	.01	418258	10	500
PC9617	3/8	5257917255RPC	.01	418265	10	500
PC9617	1/2	5257917260RPC	.03	418234	10	500
PC9617	5/8	5257917265RPC	.05	413567	10	400
PC9617	3/4	5257917267RPC	.07	413574	10	500
PC9617	7/8	5257917270RPC	.09	413581	10	400
PC9617	1	5257917272RPC	.10	431561	10	400
PC9617	1 1/8	5257917275RPC	.13	413598	5	200
PC9617	1 1/2	5257917280RPC	.17	413604	1	100
PC9617	1 3/4	52579172850RPC	.31	444264	1	50
PC9617	2 1/8	52579172900RPC	.49	444547	1	50



PC9607-2-LT 90° Elbow (FTG x P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag	Packaging Case
PC9607-2-LT	1/4	5257908000RPC	.01	418128	10	150
PC9607-2-LT	3/8	5257908005RPC	.01	418135	10	150
PC9607-2-LT	5/16	5257908007RPC	.01	418142	10	150
PC9607-2-LT	1/2	5257908015RPC	.08	418111	10	150
PC9607-2-LT	5/8	5257908025RPC	.11	413413	10	150
PC9607-2-LT	3/4	5257908035RPC	.17	413420	10	150
PC9607-2-LT	7/8	5257908040RPC	.22	413437	10	150
PC9607-2-LT	1 1/8	5257908060RPC	.32	413444	5	100
PC9607-2-LT	1 1/2	5257908070RPC	.49	413451	1	25
PC9607-2-LT	1 3/4	52579059305RPC	.87	444233	1	25
PC9607-2-LT	2 1/8	52579059356RPC	1.47	444516	1	15



PC9635 SAE FLARE ADAPTERS (Flare X P)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag	Packaging Case
PC9635	1/4	5257900601RPC	.06	418494	10	250
PC9635	3/8	5257900603RPC	.09	418500	10	250
PC9635	1/2	5257900605RPC	.13	418517	10	250
PC9635	5/8	5257900602RPC	.18	413857	5	100
PC9635	3/4	5257900604RPC	.35	413864	5	100



PC9649 Y Joint (FTG x FTG)

Fig. No.	Size (OD)	WSS #	Unit Wt.	UPC 039923-	Packaging Bag	Packaging Case
PC9649	3/8	52579345200RPC	.20	430618	2	40
PC9649	1/2	52579345250RPC	.31	430625	2	40
PC9649	5/8	52579345300RPC	.51	430632	2	30
PC9649	3/4	52579345350RPC	.67	430649	2	30
PC9649	7/8	52579345400RPC	1.02	430656	2	24
PC9649	1 1/8	52579345450RPC	1.70	430663	2	12